



FOR DETAILED INSTRUCTIONS  
PLEASE REFER  
TO HOISTWAY DRAWINGS.

**NOTE:**  
ALL DIMENSIONS ARE IN INCHES.  
ALL DIMENSIONS ARE SPECIFIC TO  
OUR EQUIPMENT AND ELEVATOR  
CODES. THEY MUST BE MAINTAINED  
TO ENSURE A PROPER INSTALLATION.  
NOTIFY: "HYBRID ELEVATOR"  
ENGINEERING REGARDING ANY  
OR ALL DIMENSIONAL  
CHANGES BEFORE PROCEEDING.  
ALL FINISHED HOISTWAY  
DIMENSIONS INCLUDE  
1/2" DRY WALL. HW-DWG # 5

HOISTWAY DOORS & FRAMES ARE TO  
BE INSTALLED IN A 2" x 4"  
CONSTRUCTED WALL. THIS IS  
REQUIRED TO COMPLY WITH THE  
3" x 5" CODE RULE. HW-DWG # 7  
HOISTWAY DOORS TO BE SOLID CORE.  
(SUPPLIED BY OTHERS)

DOUBLE 2" x 10" EQUIPMENT SUPPORT  
FRAMING WALL. HW-DWG # 2

DETAILED ELECTRICAL  
REQUIREMENTS. HW-DWG # 9A

DOUBLE 2" x 10"  
EQUIPMENT  
SUPPORT FRAMING  
WALL. DWG # 2

**TYPE # 2 LEFT HAND DRIVE WALL  
4' x 4' CAR**

|   |  |     |        |              |
|---|--|-----|--------|--------------|
|  | <b>HYBRID ELEVATOR INC.</b>                    |     | Date   | FEB. 24/2013 |
|   | #16 - 364 LOUGHEED ROAD<br>KELOWNA, BC V1X 7R8 |     | Scale  | NTS          |
|   | PHONE: (778) 484-0064<br>FAX: (778) 484-0086   |     | Design | DAE & LSD    |
|   | DWG #  | 11  | REV.   | 2            |
|   | Drawn  | DAE |        |              |
| <b>RESIDENTIAL ELEVATORS / LIFTS<br/>STANDARD HOISTWAY PLAN</b>                       |  |     |        |              |